HP LaserJet Pro M404 series



Lighten your workload, focus on your business

Winning in business means working smarter. The HP LaserJet Pro M404 printer is designed to let you focus your time where it's most effective-helping to grow your business and staying ahead of the competition.





HP LaserJet Pro M404dw



Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. Learn more at: http://www.hp.com/go/learnaboutsupplies

Highlights

- 2 sided printing
- Dual-band Wi-Fi & wireless
- Embedded Security features
- HP Roam enabled
- Up to 18% energy savings
- High yield toner cartridge



USB drive

- Built to keep you and your business moving forward
- Help decrease the amount of paper used in the office by printing on both sides of the page.1
- Grab pages and go – without waiting. This device wakes up and prints fast.²
- Print wirelessly even without the network. Stay connected with dual band Wi-Fi and Wi-Fi • direct.3,4,5
- Print effortlessly from any device, virtually anywhere, to any HP printer securely through the cloud.6

Best -in-class security – detect and stop attacks⁷

- A suite of embedded security features help protect your printer from being an entry point for attacks.
- Help secure confidential information with optional PIN/Pull printing to retrieve print • jobs.8
- ٠ Optional HP JetAdvantage Security Manager lets you set configuration.
- Thwart potential attacks and take immediate action with instant notification of security • issues.⁹

Simply designed to uncomplicate your day

- Set up this printer fast and easily manage device settings to help increase overall printing efficiency.
- Make the most of your office space with a printer that conveniently fits into your workstyle.
- Get connected and start printing fast with seamless Wi-Fi setup from your smartphone. ٠
- Work without delays or messes, with cartridges featuring auto seal removal.

Sustainability is smart business

- Avoid frustrating reprints, wasted supplies, and service calls using Original HP toner cartridges.
- Help save paper right out of the box. The duplex print setting is set at default paper savings mode.¹⁰
- Saves up to 18% energy over prior products.¹¹
- Help save energy with HP Auto-on/Auto-off technology.¹²

Product walkaround

HP LaserJet Pro M404dw shown

port

4 1. 100 sheet multipurpose tray 1 supports media sizes up to 216 \times 356 mm 5 2. Hi-Speed USB 2.0 port, USB port for job storage and PIN printing, Gigabit Ethernet LAN $\,$ 1 6 3. Rear door (access to the print path) 7 4. 2-line LCD control panel hp 2 5.150 sheet output bin 6. Front door release button 8 7. Front door (access to HP EcoSmart black toner cartridges) 3 8. Automatic two-sided printing 9 9. 250 sheet input tray 2 supports media sizes up to 216 x 356 mm

Series at a glance



Model	HP LaserJet Pro M404n	HP LaserJet Pro M404dn	HP LaserJet Pro M404dw
Product number	W1A52A	W1A53A	W1A56A
Print speed	Up to 38 ppm (default) ; Up to 40 ppm (HP High Speed)		
Two-sided printing	Manual Automatic		
Control panel display	2-line LCD		
100 sheet multipurpose tray 1, 250-sheet tray 2	Yes		
Optional 550 sheet tray 3	Add up to one		
Input capacity (standard/maximum)	Up to 350/900 sheets		
Recommended monthly page volume	Up to 4,000 pages		
Cartridge yields (A/X)	Black: ~3,000/10,000 pages		
Dual-band Wi-Fi with Bluetooth Low Energy	Not a	vailable	Yes

Accessories, Supplies and Support

Supplies	CF259A HP 59A Black Original LaserJet Toner Cartridge (3,000 pages)		
	CF259X HP 59X High Yield Black Original Laser Jet Toner Cartridge (10,000 pages)		
	CF259XC HP 59X Black Contract LaserJet Toner Cartridge (10,000 pages)		
Accessories	D9P29A HP LaserJet Pro 550-sheet Feeder Tray		
Service and Support	UB9T8E HP 3 year Next Business Day LaserJet Pro M404 Service UB9U3PE HP 1 year Post Warranty Next Business Day LaserJet Pro M404 Service		

Technical specifications

Model	HP LaserJet Pro M404n	HP LaserJet Pro M404dn	HP LaserJet Pro M404dw		
Product number	W1A52A	W1A53A	W1A56A		
Functions	Print				
Control panel	2-line LCD; OK button; Left button; Right button; Cancel button; Back button; Ready LED; Error LED		2-line LCD; OK button; Left button; Right button; Cancel button; Back button; Wireless button; Ready LED; Error LED; Wi-Fi LED		
Print			·		
Print technology	Laser				
Print speed ¹	Black (A4, normal) Up to 38 ppm (default); Up to 40 Black (A4, normal) Up to 38 ppm (default); Up to 40 ppm (HP High Speed); Black (A4, duplex): Up to 31 ipm;				
First page out ²	Black (A4, ready): As fast as 6.3 sec; Black (A4, sleep): As fast as 8.8 sec;				
Print resolution	Black (best): Fine Lines (1200 x 1200 dpi); Technology: HP FastRes1200, HP ProRes1200, Economode;				
Monthly duty cycle ³	Up to 80,000 pages A4; Recommended monthly page volume ⁴ : 750 to 4,000				
Printer smart software features	Apple AirPrint™, Mopria certified, Google Cloud Print 2.0, HP ePrint, Roam capable for easy printing, HP Auto-On/Auto-Off Technology, Job Storage with PIN printing, N-up printing, collation		Apple AirPrint™, Mopria certified, Google Cloud Print 2.0, Wi-Fi Direct printing, ROAM enabled for easy printing, HP ePrint, HP Auto-On/Auto-Off Technology, Job Storage with PIN printing, N-up printing, collation		
Standard print languages	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, PDF, URF, PWG Raster				
Fonts and typefaces	84 scalable TrueType fonts				
Print area	Print margins Top: 5 mm, Bottom: 5 mm, Left: 4 mm, Right: 4 mm; Maximum print area: 207.4 x 347.1 mm				
Duplex printing	Manual (driver support provided) Automatic (default)				

Model	HP LaserJet Pro M404n	HP LaserJet Pro M404dn	HP LaserJet Pro M404dw	
Product number	W1A52A	W1A53A	W1A56A	
Processor speed	1200 MHz		·	
Connectivity	•			
Standard	1 Hi-Speed USB 2.0; 1 host USB at rear side; Gigabit Ethernet 10/100/1000BASE-T network; 802.3az(EEE)		1 Hi-Speed USB 2.0; 1 host USB at rear side;Gigabit Ethernet 10/100/1000BASE-T network; 802.3az(EEE) 802.11b/g/n / 2.4 / 5 GHZ Wi-Fi radio	
Wireless	No		Yes, built-in dual-band Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wi-Fi Direct; Bluetooth Low-Energy	
Mobile printing capability ⁵	Apple AirPrint™; Google Cloud Print™; HP ePrint; HP Smart App; Mobile Apps; Mopria™ Certified; ROAM capable for easy printing		Apple AirPrint™; Google Cloud Print™; HP ePrint; HP Smart App; Mobile Apps; Mopria™ Certified; ROAM capable for easy printing; Wi-Fi® Direct printing	
Supported network protocols	TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 E Mopria, IPP Print; Discovery: SLP, Bonjour, W via DHCPv6), SSL Security and Certificate m)irect Mode, LPD (raw queue support only), Web Services Printii Veb Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Ma Ianagement; Management: SNMPv1, SNMPv2, SNMPv3, HTTP/	ng, HP ePrint, Apple AirPrint™, Google Cloud Print 2.0, nual), IPv6 (Stateless Link-Local and via Router, Statefull HTTPS, Syslog, FTP FW Download	
Network capabilities	Built-in 10/100/1000Base-TX Ethernet, Gigabit, Auto-crossover Ethernet, Authentication via 802.1X			
Hard disk	None			
Memory	Standard: 256 MB; Maximum: 256 MB	Standard: 256 MB; Maximum: 256 MB		
Media handling				
Number of paper trays	Standard: 2 ; Maximum: 3			
Media types	Paper (plain, EcoFFICIENT, light, heavy, bond, coloured, preprinted, prepunched, recycled, rough); Envelopes; Labels			
Media size	Custom (metric): Tray 1: 76 x 127 to 216 x Tray 2, optional Tray 3: 100 x 148 to 216 x Supported (metric): Tray 1, Tray 2: A4; A5; <i>r</i> (JI5); B6 (JIS); 16K (195 x 270 mm, 184 x 2/ 197 x 273 mm); 10 x 15 cm; Oficio (216 x 2 Postcards (JIS single, JIS double); Envelopes B5): Optional Tray 3: A4; A5; A6; B5 (JIS); B6 (195 x 270 mm, 184 x 260 mm, 197 x 273 x 15 cm; Oficio (216 x 340 mm); Postcards single, JIS double)	356 mm; 46; B5 50 mm, 340 mm; 10 x 15 cm; Oficio (216 x 340 mm); 10 x 15 cm; Oficio (216 x 340 mm); 10 x 15 cm; Oficio (216 x 340 mm); 10 x 15 cm; Oficio (216 x 340 mm); 5 UIS); 16K (cm; Oficio (216 x 340 mm); 5 UIS); 16K (cm; Oficio (216 x 340 mm); 10 mm; 10 mm; 184 x 260 mm; 197 x 273 mm); 10 for (216 x 340 mm); 10 mm; 10 mm; 184 x 260 mm; 197 x 273 mm); 10 mm; 10 mm; 184 x 260 mm; 197 x 273 mm); 10 mm; 10 mm; 184 x 260 mm; 197 x 273 mm); 10 mm; 10 mm; 184 x 260 mm; 197 x 273 mm; 10 mm; 164 x 260 mm; 197 x 273 mm; 10 mm; 164 x 260 mm; 197 x 273 mm; 10 mm; 164 x 260 mm; 197 x 273 mm; 10 mm; 164 x 260 mm; 197 x 273 mm; 10 mm; 164 x 260 mm; 197 x 273 mm; 10 mm; 164 x 260 mm; 197 x 273 mm; 10 mm; 164 x 260 mm; 197 x 273 mm; 10 mm; 164 x 260 mm; 10 mm; 10 mm; 164 x 260 mm; 10 mm;	n; Tray 2, optional Tray 3: 100 x 148 to 216 x 356 mm ; JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x cards (JIS single, JIS double); Envelopes (DL, C5, B5); 195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 S double); Automatic duplexer: A4; B5; 16K (195 x 270 340 mm)	
Media handling	Standard input: 100 sheet multipurpose Tr. Standard output: 150 sheet output bin Optional input: Optional third 550 sheet tra	ay 1, 250 sheet input Tray 2 Iy		
Media weight	Tray 1: 60 to 200 g/m ² ; Tray 2: Optional 550 sheet; Tray 3: 60 to 120 g/m ² ;			
Input capacity	Tray 1: Sheets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 Maximum: Up to 900 sheets			

Model	HP LaserJet Pro M404n	HP LaserJet Pro M404dn	HP LaserJet Pro M404dw
Product number	W1A52A	W1A53A	W1A56A
Output capacity	Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets		
Compatible operating systems	information on the supported operating systems go t product name and search for User Guide, search for y Drivers, Supported Operating systems, for more infor	o http://www.support.hp.com, enter your product nan our (Product Name) User Guide, search for the Support mation on the supported operating systems see http:/	ed Operating Systems section, UPD PCL6/PS Printer /www.hp.com/go/upd
Compatible network operating systems	Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64- bit, Failover Cluster 2008 R2, Failover Cluster 2012 R2, Terminal server 2008 R2, Remote Desktop server 2012 R2, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification - up to Citrix Server 7.18 for more information see http://www.citrixready.citrix.com, Linux - for more information see http://www.developers.hp.com/hp-linux-imaging-and-printing, Unix - for more information see http://www.hp.com/go/unixmodelscripts, UPD PCL6 / PS Printer Drivers, Supported for Compatible Network Operating systems please see http://www.hp.com/go/upd		
Minimum system requirements	 Windows: 2 GB available hard disk space, Internet connection, USB port, Internet browser, for additional OS hardware requirements see http://www.microsoft.com; Mac: 2 GB available hard disk space, Internet connection or USB port, for additional OS hardware requirements see http://www.apple.com 	Windows: 2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see http://www.microsoft.com; Mac: 2 GB available hard disk space, Internet connection or USB port, for additional OS hardware requirements see http://www.apple.com	Windows: 2 GB available hard disk space, Internet connection, USB port, Internet browser, for additional OS hardware requirements see http://www.microsoft.com; Mac 2 GB available hard disk space, Internet connection or USB port, for additional OS hardware requirements see http://www.apple.com
Software included	No software solutions are included in the Box, only on http://www.hp.com, http://www.123.hp.com	No software solutions are included in the Box, only o	n http://www.hp.com, http://www.123.hp.com/laserjet
Security management	Secure Boot, Secure Firmware Integrity, Runtime Code Integrity, password protected EWS, secure browsing via SSL/TLS 1.0, TLS 1.2; IPP over TLS; Network: enable/disable network ports and features, unused protocol and service disablement, SMNPv1, SMNPv2, and SMNPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; Firewa and ACL; Control panel lock, certificates configuration, UPD PIN printing, Syslog, signed firmware, administrator settings, 802.1x authentication (EAP-TLS, and PEAP); Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage, Compatible with optional HP JetAdvantage Security Manager		Secure Boot, Secure Firmware Integrity, Runtime Code Integrity, password protected EWS, secure browsing via SL/TLS 1.0, TLS 1.1, TLS 1.2; IPP over TLS; Network: enable/disable network ports and features, unused protocol and service disablement, SNMPv1, SNMPv2, and SNMPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication, firewall and ACL, control panel lock, certificates configuration, UPD PIN printing, Syslog, signed firmware, administrator settings, 802.1x authentication (EAP-TLS, and PEAP), authentication via WEP, WPA/WPA2 Personal, WPA2-enterprise, encryption via AES or TKIP, encrypted data storage, secure data erase, automatic firmware updates, Secure Encrypted Print via optional job storage, compatible with optional HP JetAdvantage Security Manager, IPPS
Printer management	HP Printer Assistant; HP Utility (Mac); HP Device Toolb Agent; Printer Administrator Resource Kit for HP Univ	iox; HP Web JetAdmin Software; HP JetAdvantage Secu ersal Print Driver (Driver Configuration Utility - Driver D	rity Manager; HP SNMP Proxy Agent; HP WS Pro Proxy eployment Utility - Managed Printing Administrator)
Dimensions and weight			
Printer dimensions (W \times D \times H) ⁶	Minimum 381 x 357 x 216 mm; Maximum: 381 x 634	x 241 mm;	
Package dimensions (W x D x H)	443 x 274 x 464 mm		
Printer weight	8.22 kg 8.56 kg		
Package weight	10.2 kg 10.5 kg		
Operating environment	Temperature: 15 to 32.5°C; Humidity: 30 to 70% RH		
Storage conditions	Temperature: -20 to 40°C;		
Acoustics ⁷	Acoustic power emissions: 6.7 B(A); Acoustic pressure emissions: 53 dB(A)	Acoustic power emissions: 6.7 B(A); Acoustic pressure emissions: 54 dB(A)	
Power ⁸	Requirements: 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); Consumption: 495 watts (Active Printing), 5.5 watts (Ready), 0.5 watts (Sleep), 0.5 watts (Auto Off/Wake on LAN, enabled at shipment), 0.05 watts (Auto Off/Manual On), 0.05 (Manual Off); Power supply type: Internal (built-in) Power Supply;	Requirements: 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); Consumption: 495 watts (Active Printing), 5.5 watts (Ready), 0.5 watts (Sleep), 0.5 watts (Auto Off/Wake on LAN, enabled at shipment), 0.05 watts (Auto Off/Manual On), 0.05 (Manual Off); Typical Electricity Consumption (TEC) ² : Blue Angel: 1.10 kWh/Week; Energy Star 3.0: 0.371 kWh/Week; Power supply type: Internal (built-in) Power Supply;	
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology		
Certifications ¹⁰	CISPR 32:2012/EN 55032:2012-Class B, CISPR 32:2015/EN 55032:2015-Class B, EN 61000-3- 2:2014, EN 61000-3-3:2013, EN 55024:2010+A1:2015	CISPR 32:2012/EN 55032:2012-Class B, CISPR 32:2015/EN 55032:2015-Class B, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010+A1:2015 ENERGY STAR® qualified; EPEAT® Silver; CECP	
Blue Angel compliant	Yes, Blue Angel DE-UZ 205—only ensured when using Original HP supplies		
Country of origin	Made in Philippines		
What's in the box ¹¹	HP Laser Jet Pro M404n; Preinstalled HP 59A Black Laser Jet Toner Cartridge (yield: 1,500 pages); Getting started quide; Support flyer; Warranty quide;	HP LaserJet Pro M404dn; Preinstalled HP 59A Black LaserJet Toner Cartridge (yield: 3,000 pages); Getting started guide; Support flyer; Warranty guide; Regulatory flyer; Power cord	HP Laser Jet Pro M404dw; Preinstalled HP 59A Black Laser Jet Toner Cartridge (yield: 3,000 pages); Getting started guide; Support flyer; Warranty guide; Regulatory flyer; Power cord; USB cable
	Regulatory flyer; Power cord	d support options vary by product, country and local le	

Footnotes

¹ Two-sided printing not supported on the M404n.

² Measured using ISO/IEC 24734 Office Suite and Feature Tests, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, document complexity, media size, media orientation and media type. HP High Speed may require FW upgrade to enable

³ Wireless operations are compatible with 2.4 GHz and 5 GHz operations. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at http://www.hp.com/go/mobileprinting.

⁴ Feature is only supported on the HP LaserJet Pro M404dw. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections

⁵ Feature is supported on the HP LaserJet Pro M404dw only. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct–capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Learn more at http://www.hp.com/go/businessmobileprinting.

⁶ To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription or accessory may be required. For more information, visit http://www.hp.com/go/roam.

⁷ Based on HP review of 2019 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims.

⁸ Additional solution such as HP Access Control or HP JetAdvantage Private Print is required to use optional proximity card reader. Pin printing enabled via USB installed in rear of device.
⁹ Instant threat notifications can appear on the device control panel when a potential threat occurs from malicious intent or there is a bug or vulnerability in the firmware code of the device. If this error raises concern, please contact your company IT representative or, if unavailable, HP Support, who can investigate the cause through analysis of device syslog data using a standard SIEM tool from McAfee, Splunk, Arcsight or SIEMonster. The control panel error message may show an error code on a blue screen during code signature checks or memory write intrusions. ¹⁰ Dependent upon country setup specifications.

¹¹ Based on HP Internal testing using normalised TEC Value, 2019.

¹² HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade

Technical specifications disclaimers

¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity

2 Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

³ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

⁴ HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

⁵ Local printing requires mobile device and printer to be on the same network (usually Wi-Fi access points bridge wireless to wired connections) or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from access point. Remote printing requires an Internet connection to an HP web-connected printer. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. For more information visit http://www.hp.com/go/mobileprinting. To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. For more information, visit http://www.hp.com/go/roam.

⁶ Without trays and covers extended.

⁷ Acoustic values are subject to change. For current information see http://www.hp.com/support. Configuration tested: base model, simplex printing, A4 paper at an average of 40 ppm.

⁸ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device

⁹ Blue Angel TEC is equal to Best TEC. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.

¹⁰ EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

¹¹ In box cartridge yield: 1,500 black pages based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see: http://www.hp.com/go/learnaboutsupplies. Pages may vary based on customer printing conditions and usage



http://www.hp.com/uk

© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein is sugged to change windout notice. The unity warfailutes for the products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.



Published in EMEA 4AA7-4837, May 2020

AirPrint